



BAZTECH INDUSTRIES
Manufacturers and Exporters



BAZTECH INDUSTRIES
Manufacturers and Exporters


F-39, Phase VII, Focal Point, Ludhiana - 141010, Punjab. India
Email : info@baztechindustries.com, sales@baztechindustries.com,
Mobile : +91 98143 05905, Whatsapp: +91 95925 11313

TRACTOR LINKAGE PARTS

AGRICULTURE PARTS




LOWER LINK BALLS




PART NUMBER	A	B	C
LLB 101	40	28	18
LLB 102	44	35	22
LLB 103	46	35	22
LLB 104	46	35	25
LLB 105	46	35	28
LLB 106	48	35	28
LLB 107	50	35	22
LLB 108	50	35	28
LLB 109	56	35	22
LLB 110	56	35	28
LLB 111	56	45	22
LLB 112	56	45	28
LLB 113	57	35	28
LLB 114	57	35	22
LLB 115	57	38	25
LLB 116	57	38	28
LLB 117	60	44	32
LLB 118	60	44	36
LLB 119	62	45	28
LLB 120	64	45	28
LLB 121	64	45	35
LLB 122	64	45	37
LLB 123	64	45	38

TOP LINK BALLS




PART NUMBER	A(mm)	B(mm)	Length C(mm)
TLB 101	38	19	44
TLB 102	42	19	44
TLB 103	50	25	51
TLB 104	54	25	51
TLB 105	54	32	51
TLB 106	57	25	51
TLB 107	60	32	51
TLB 108	62	25	51
TLB 109	62	32	51
TLB 110	57	32	51
TLB 111	78	40	75
TLB 112	78	45	75
TLB 113	78	40	65

BALLS WITH CUT



PART NUMBER	A(mm)	B(mm)	C(mm)
BC 101	56	35	22
BC 102	56	35	28
BC 103	56	45	22
BC 104	56	45	28

DUAL CATEGORY BALLS




PART NUMBER	A	B	C
DCB 101	56	22.1 / 28.7	45

GUIDE CONE BALLS



PART NUMBER	A(mm)	B(mm)	C(mm)
GCB 101	56	28.4	69
GCB 102	64	28.4	72
GCB 103	64	32.5	72
GCB 104	64	38	72

REPLACEMENT BUSHES




PART NUMBER	Ø A(mm)	Ø B(mm)	C(mm)
RB 101	19	16	41
RB 102	22	16	35
RB 103	25.4	19	41
RB 104	25.4	19	50.8
RB 105	28.4	22.2	44.5
RB 106	28.4	22.2	63
RB 107	28.6	22.2	35
RB 108	28.6	22.2	44
RB 109	28.6	22.2	50.8
RB 110	32	25.4	50.8
RB 111	36.5	28.6	44.5



TOP LINK PIN

Material : Mild Steel or EN 8



PART NUMBER	D	L
TLP 101	5/8"	2-3/4"
TLP 102	3/4"	2-3/4"
TLP 103	3/4"	3-7/8"
TLP 104	3/4"	4-3/4"
TLP 105	1"	3-9/16"
TLP 106	1"	4-5/16"
TLP 107	1-1/4"	4-7/16"

All Measurements in Inches

RED HANDLE HITCH PIN

Material : EN 8 with Plastic Coated




PART NUMBER	D	L
HP 101	1/2"	3-5/8"
HP 102	5/8"	4"
HP 103	5/8"	5-1/2"
HP 104	3/4"	4"
HP 105	3/4"	6-1/2"
HP 106	7/8"	6"
HP 107	1"	7"
HP 108	1-1/8"	8"
HP 109	1-1/4"	8"
HP 110	1-1/2"	8"

All Measurements in Inches

IMPLEMENT MOUNTING PIN

Material : Mild Steel or EN 8



PART NUMBER	D	D1	L1	L2	C	G
MP 101	25	19	90	90	57	18
MP 102	28	22	90	90	57	18

All Measurements in Millimeters MM

BENT HITCH PIN

Material : Mild Steel or EN 8




PART NUMBER	D	L
BHP 101	1/2"	3"
BHP 102	5/8"	3"
BHP 103	3/4"	3-1/2"

All Measurements in Inches

LIFT ARM PIN

Material : Mild Steel or EN 8




PART NUMBER	D	D1	L1	L	C	F
LAP 101	7/8"	7/8"	1-9/16"	5-13/32"	1-3/4"	9/16"
LAP 102	7/8"	7/8"	2.5/8"	6-3/4"	2-1/4"	3/8"
LAP 103	1-1/8"	7/8"	1-11/16"	5-13/32"	1-3/4"	29/64"
LAP 104	1-1/8"	7/8"	2-3/32"	6-5/16"	2-1/4"	29/64"
LAP 105	1-7/16"	1-1/8"	1-7/8"	6"	1-7/8"	5/8"
LAP 106	1-7/16"	1-3/8"	2"	6-1/16"	2"	17/32"

All Measurements in Inches

HITCH PIN WITH CHAIN & LINCH PIN

Material : Mild Steel or EN 8



PART NUMBER	D	L
HCL 101	1/2"	3-1/2"
HCL 102	5/8"	4-1/4"
HCL 103	5/8"	6-1/4"
HCL 104	3/4"	4-1/4"
HCL 105	3/4"	6-1/4"
HCL 106	7/8"	6-1/4"
HCL 107	1"	6-1/4"
HCL 108	1-1/8"	6-1/4"
HCL 109	1-1/4"	6-1/4"

All Measurements in Inches



CLEVIS PIN

Material : Mild Steel or EN 8




PART NUMBER	D	D1	L
CP 101	1/4"	1"	1-1/4"
CP 102	1/4"	1-1/2"	1-3/4"
CP 103	1/4"	2"	2-1/4"
CP 104	5/16"	1"	1-1/4"
CP 105	5/16"	1-1/2"	1-3/4"
CP 106	5/16"	2"	2-1/4"
CP 107	3/8"	1"	1-1/4"
CP 108	3/8"	1-1/2"	1-3/4"
CP 109	3/8"	2"	2-1/4"
CP 110	7/16"	1-1/4"	1-1/2"
CP 111	7/16"	1-1/2"	1-3/4"
CP 112	7/16"	2"	2-1/4"
CP 113	1/2"	1"	1-1/4"
CP 114	1/2"	1-1/2"	1-3/4"
CP 115	1/2"	2"	2-1/4"

All Measurements in Inches

UNIVERSAL CLEVIS PIN

Material : Mild Steel or EN 8




PART NUMBER	D	L	NO. OF HOLE
UCP 101	1/4"	2"	7
UCP 102	5-16"	2"	7
UCP 103	3/8"	2"	7
UCP 104	7/16"	2"	7
UCP 105	1/2"	2"	7
UCP 106	1/2"	2-1/2"	7
UCP 107	7/16"	2-1/2"	7
UCP 108	7/16"	3"	7
UCP 109	1/2"	3"	7
UCP 110	5/8"	3"	7
UCP 111	3/4"	3"	7

All Measurements in Inches

SPRING LINCH PIN

Ring & Spring Material : Spring Wire (EN-42)

Pin Material : Mild Steel



PART NUMBER	A	B	C	D
SLP 101	8.50	50	50	3.80
SLP 102	10.50	50	50	3.80
SLP 103	15.5	69	61	4



WELD ON END



PART NUMBER	CAT	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)
WOE 101	1	22	35	67	50	18	60
WOE 102	1	22	35	67	70	16	60
WOE 103	1	19	44	50	50	10	50
WOE 104	1	22	35	67	50	18	70
WOE 105	1	22	35	67	70	15	60
WOE 106	2	25.4	45	80	80	19	70
WOE 107	2	25.4	38	83	80	19	70
WOE 108	2	28	45	83	80	19	70
WOE 109	2	28	45	104	80	24	100
WOE 110	3	36	45	104	80	24	100
WOE 111	3	36	44	98	85	19	76


WELD ON END



PART NUMBER	A	B	C	D	E	F
WOE 201	19.3	44	52	75	48	25
WOE 202	19.3	44	62	91	60	34
WOE 203	19.3	44	62	82	50	30
WOE 204	20.3	44	62	91	60	34
WOE 205	20.3	44	62	82	50	30
WOE 206	22.2	35	62	82	50	26
WOE 207	25.4	51	75	103	65	38
WOE 208	25.4	51	84	110	70	50
WOE 209	30.2	55	82	106	65	50
WOE 210	32.2	51	82	110	70	50
WOE 211	35.2	35	82	106	65	50
WOE 212	35.2	55	82	106	65	50

SAFETY PIN

Material : Spring Steel Wire




PART NUMBER	D	D1	D2	L
SAF 101	3	20	60	100
SAF 102	4	20	100	146
SAF 103	5	31	90	150
SAF 104	6	32	100	160

All Measurements in Millimeters MM



SPRING PIN / HAIR PIN / GRIP CLIP (SINGLE SPIRE)

Material : Spring Steel Wire EN-42




PART NUMBER	D	D1	L	A Shaft Ø
SP1 101	2	10	57	9-14
SP1 102	3	18	72	10-16
SP1 103	4	20	74	16-20
SP1 104	5	24	102	20-28
SP1 105	6	30	126	28-40
SP1 106	7	30	127	28-45
SP1 107	8	30	132	30-45
SP1 108	8	34	156	45-60

All Measurements in Millimeters MM

SPRING PIN / HAIR PIN / GRIP CLIP (DOUBLE SPIRE)

Material : Spring Steel Wire EN-42




PART NUMBER	D	D1	L	A Shaft Ø
SP1 201	2	10	57	8-14
SP1 202	3	16	73	14-20
SP1 203	4	22	93	17-24
SP1 204	5	26	110	18-30
SP1 205	6	30	141	24-36
SP1 206	7	30	152	24-40
SP1 207	8	30	153	24-45

All Measurements in Millimeters MM

SPRING PIN / HAIR PIN / GRIP CLIP (DIN I 1024)

Material : Spring Steel Wire EN-42



PART NUMBER	D	D1	L	A Shaft Ø
SP1 301	2.25	20	54	9-11.2
SP1 302	2.80	20	61	11.2-14
SP1 303	3.60	20	78	14-20
SP1 304	4.50	25	97	20-26
SP1 305	5.60	25	115	26-34
SP1 306	6.30	30	146	34-45
SP1 307	7	30	172	45-56

All Measurements in Millimeters MM



LINCH PIN

Material : Mild Steel With Spring Steel Ring




PART NUMBER	D	D1	L
LP 101	4.5	28	35
LP 102	4.5	33	40
LP 103	6	37	45
LP 104	7	37	45
LP 105	8	37	45
LP 106	9	37	45
LP 107	10	37	45
LP 108	11	37	45

All Measurements in Millimeters MM

LINCH PIN DIN I 1023

Material : Mild Steel With Spring Steel Ring




PART NUMBER	D	L
LP 201	5	32
LP 202	6	42
LP 203	7	42
LP 204	8	42
LP 205	9	42
LP 206	10	42
LP 207	11	42

All Measurements in Millimeters MM

LINCH PIN FOR TUBE

Material : Mild Steel With Spring Steel Ring



PART NUMBER	D	F	L
LPT 101	4.5	3	32
LPT 102	4.5	3	40
LPT 103	6	3	32
LPT 104	6	3	40
LPT 105	8	3	40
LPT 106	8	3	45
LPT 107	8	3	50
LPT 108	8	3	60
LPT 109	10	3	50
LPT 110	10	3	60
LPT 111	12	3.5	70


All Measurements in Millimeters MM



PTO LOCK PIN

Type : Round & Square

Material : Mild Steel With Spring Steel Ring




PART NUMBER	D	L	TYPE	D1	D2
PT 101S	6	58	SQUARE	52	39
PT 101R			ROUND		
PT 102S	6	70	SQUARE	58	39
PT 102R			ROUND		
PT 103S	6	75	SQUARE	62	42
PT 103R			ROUND		
PT 104S	8	70	SQUARE	58	39
PT 104R			ROUND		
PT 105S	8	75	SQUARE	62	42
PT 105R			ROUND		
PT 106S	10	45	SQUARE	40	38
PT 106R			ROUND		
PT 107S	10	70	SQUARE	58	39
PT 107R			ROUND		
PT 108S	10	75	SQUARE	62	42
PT 108R			ROUND		
PT 109S	11	100	SQUARE	91	53
PT 109R			ROUND		

All Measurements in Millimeters MM

SPLIT PIN

Material : Mild Steel




PART NUMBER	D1	L
SPL 101	2.5	20
SPL 102	2.5	40
SPL 103	3.2	25
SPL 104	3.2	40
SPL 105	4	25
SPL 106	4	36
SPL 107	5	50
SPL 108	5	71
SPL 109	6.3	80
SPL 110	8	125
SPL 111	10	100
SPL 112	10	125
SPL 113	13	125
SPL 114	13	140

All Measurements in Millimeters MM

TOP LINK ASSEMBLIES




PART NUMBER	D1 -D2	L1	THREAD D	Min. (L)	Max. (L)
TLA 101	0-0	7-1/2"	3/4" UNC	11"	16-3/8"
TLA 102	0-0	9-3/4"	3/4" UNC	13-3/8"	18-5/8"
TLA 103	1-1	7"	1-1/8" UNC	11-5/8"	14-3/4"
TLA 104	1-2	7"	1-1/8" UNC	11-3/4"	15"
TLA 105	2-2	7"	1-1/8" UNC	12"	15-1/8"
TLA 106	1-1	9"	1-1/8" UNC	13-5/8"	18-3/4"
TLA 107	1-2	9"	1-1/8" UNC	13-3/4"	19"
TLA 108	2-2	9"	1-1/8" UNC	14"	19-1/4"
TLA 109	1-1	11-1/4"	1-1/8" UNC	16"	24"
TLA 110	1-2	11-1/4"	1-1/8" UNC	16-3/8"	24-1/4"
TLA 111	2-2	11-1/4"	1-1/8" UNC	16-1/2"	24-3/8"
TLA 112	1-1	13"	1-1/8" UNC	17-1/2"	26-3/4"
TLA 113	1-2	13"	1-1/8" UNC	17-3/4"	27"
TLA 114	2-2	13"	1-1/8" UNC	18-1/8"	27-1/8"
TLA 115	1-1	14-1/2"	1-1/8" UNC	19"	27"
TLA 116	1-2	14-1/2"	1-1/8" UNC	19-1/2"	27-1/8"
TLA 117	2-2	14-1/2"	1-1/8" UNC	20"	31-1/2"
TLA 118	1-1	16"	1-1/8" UNC	20-1/2"	28"
TLA 119	1-2	16"	1-1/8" UNC	20-3/4"	28-3/8"
TLA 120	2-2	16"	1-1/8" UNC	21"	32-1/2"
TLA 121	1-1	17-1/4"	1-1/8" UNC	21-5/8"	29-3/8"
TLA 122	1-2	17-1/4"	1-1/8" UNC	22"	29-1/2"
TLA 123	2-2	17-1/4"	1-1/8" UNC	22-1/4"	33-7/8"
TLA 124	1-1	20"	1-1/8" UNC	24-3/8"	32"
TLA 125	1-2	20"	1-1/8" UNC	24-3/4"	32-1/4"
TLA 126	2-2	20"	1-1/8" UNC	25"	36-3/8"
TLA 127	1-1	24"	1-1/8" UNC	28-1/2"	36"
TLA 128	1-2	24"	1-1/8" UNC	28-3/4"	36-1/4"
TLA 129	2-2	24"	1-1/8" UNC	28-7/8"	40-1/2"
TLA 130	2-2	15"	1-1/4" UNC	20"	30-7/8"
TLA 131	2-2	19"	1-1/4" UNC	24"	35-1/4"






METRIC TOP LINK ASSEMBLIES



PART NUMBER	CAT	PIN HOLE SIZE (A)	THREADS	BODY LENGTH(B)	Min. (C)	Max. (C)
TLA 201	0	16	M20X2.5	190	280	390
TLA 202	0	16	M20X2.5	250	340	450
TLA 203	0	16	M20X2.5	400	490	600
TLA 204	1	19	M24X3	250	370	540
TLA 205	1	19	M24X3	300	420	640
TLA 206	1	19	M24X3	350	470	750
TLA 207	1	19	M30X3	350	470	735
TLA 208	1	19	M30X3	400	520	785
TLA 209	2	25.4	M30X3	180	300	350
TLA 210	2	25.4	M30X3	350	470	725
TLA 211	2	25.4	M30X3	220	340	465
TLA 212	2	25.4	M30X3	300	420	625
TLA 213	2	25.4	M30X3	800	920	1175
TLA 214	2	25.4	M30X3	720	840	1095
TLA 215	2	25.4	M30X3	920	1040	1295
TLA 216	2	25.4	M30X3.5	300	430	620
TLA 217	2	25.4	M30X3.5	400	530	770
TLA 218	2	25.4	M30X3.5	450	580	820
TLA 219	2	25.4	M30X3.5	500	630	870
TLA 220	2	25.4	M36X3	400	520	740
TLA 221	2	25.4	M36X3	460	580	800
TLA 222	2	25.4	M36X3	520	640	860
TLA 223	2	25.4	M36X3	570	690	910
TLA 224	2	25.4	M40X3	400	530	770
TLA 225	2	25.4	M27X3	220	355	475
TLA 226	1&2	19 & 25.4	M27X3	470	595	850
TLA 227	2	25.4	M30X3	460	580	830
TLA 228	1	19	M30X3	550	670	935
TLA 229	2	25.4	M36X3	460	620	900
TLA 230	2	25.4	M30X3	610	730	985
TLA 231	1	19	M24X3	170	280	375
TLA 232	1	19	M27X3	320	460	680
TLA 233	1	25.4	M30X3	230	355	490
TLA 234	2	25.4	M36X3	380	560	820
TLA 235	1	19	M24X3	200	315	430
TLA 236	1	19	M24X3	140	255	325
TLA 237	1	19	M27X3	470	585	790
TLA 238	1	19	M24X3	160	280	365
TLA 239	3	32	M40X3	500	670	910
TLA 240	3	32	M36X3	240	400	500
TLA 241	2&3	25.4 & 32	M36X3	380	560	820

**SPECIAL TOP LINK ASSEMBLIES :
MF TOP LINK ASSEMBLY**




PART NUMBER	CAT	PIN HOLE SIZE (A)	BODY LENGTH(B)	Min. (C)	Max. (C)
MFTLA 101	1	19	438	590	750
MFTLA 102	1	19	476	610	770
MFTLA 103	1	19	546	670	830
MFTLA 104	1 & 2	19 & 25.4	476	610	770
MFTLA 105	1 & 2	19 & 25.4	546	670	830
MFTLA 106	2	25.4	476	610	770
MFTLA 107	2	25.4	546	670	830


TOP LINK END (UNC)



PART NUMBER	CAT	I.D.	THREAD D	L1	D1	D2	H
TLE 101	0	16	3/4" UNC	105	47	30	25.4
TLE 102	1	19	1-1/8" UNC	150	58	53	44
TLE 103	2	25.4	1-1/8" UNC	180	66	55	51
TLE 104	2	25.4	1-1/4" UNC	180	76	62	51
TLE 105	3	32	1-3/8" UNC	155	89	76	51



TOP LINK END (METRIC)



PART NUMBER	CAT	I.D.	THREAD D	L1	D1	D2	H
TLE 201	0	16	M20X2.5	85	48	40	25.4
TLE 202	1	19	M20X2.5	95	58	50	44
TLE 203	1	19	M20X2.5	115	58	50	44
TLE 204	1	19	M20X2.5	115	58	50	44
TLE 205	1	19	M24X3	115	58	50	44
TLE 206	1	19	M24X3	155	62	50	44
TLE 207	2	25.4	M24X3	165	75	55	51
TLE 208	1	19	M27X3	150	58	50	44
TLE 209	2	25.4	M27X3	165	66	50	51
TLE 210	2	25.4	M27X3	165	75	50	51
TLE 211	1	19	M30X3	155	58	50	44
TLE 212	1	19	M24X3.5	155	58	50	44
TLE 213	2	25.4	M30X3	165	75	55	51
TLE 214	2	25.4	M24X3.5	165	75	55	51
TLE 215	2	25.4	M36X3	165	80	55	51
TLE 216	2	25.4	M36X3	175	80	55	51
TLE 217	2	25.4	M36X3	200	96	70	51
TLE 218	3	32	M36X3	200	96	70	51
TLE 219	2	25.4	M40X3	170	80	60	51

